

**SXO**

User Handbook

 **Nightingale**



**6100 Series**

[nightingalechairs.com](http://nightingalechairs.com)

# Congratulations, this SXO™ is yours.

Please read and understand this user  
handbook before operating this office chair.



6100D




6100CH-SM

# Using & Adjusting Your SXO™



## Adjustable Headrest (Optional)

Simply lift headrest to desired position—locks automatically. To unlock, lift to top position and slide down.




## Height & Pivot Adjustable Arms

To pivot, press/hold button under the arm pad and adjust angle—release to lock. To adjust arm height, press/hold front button and lift or slide into position—release to lock.




## Multi-Position Tilt Lock

Single position lock—turn left lever up to lock, turn lever down to unlock. To activate positive back lock release, gently lean into back.




## Tension Knob Control

Turn front-knob clockwise to increase tension, turn the same knob counter-clockwise to decrease tension.



## Seat Slider

Lift middle lever up to unlock. Hold the lever with minimal weight on seat, and use gentle force to move seat to desired position. Release to lock.



## Pneumatic Height Adjustment

To lower, tilt the lever up while seated. To raise, tilt the same lever up with all weight off the seat.

# Care Instructions

With regular care and maintenance, your SXO™ will provide many years of superior performance and satisfaction. To maintain the quality of your Nightingale product, please follow the cleaning instructions outlined here.

## Mechanism

Once a year, lubricate using light sewing machine oil or similar product. (Spray with plastic straw attached to sprayer). NOTE: To prevent dripping, avoid over lubrication which may cause damage to surrounding surfaces.

## ABLEX™ Mesh

Clean with mild detergent and water applied with a clean damp cloth or sponge. Rinse with a damp (water) cloth and let dry. Never use hot water and avoid scrubbing. Use gentle movements.

## Plastic Parts

To clean, spray with a mild detergent and wipe off using a damp (water) cloth. Do not use abrasives or excessive amounts of cleaner.

## Frame

Powder coat frames can be cleaned by wiping with a damp cloth and any mild detergent.

\*The instruction for the care and maintenance of Nightingale Products are provided to you as a service. No warranty is implied since results may vary.

FOR MORE INFORMATION, PLEASE VISIT

**nightingalechairs.com**



**Nightingale Corp.**  
T 1.800.363.8954  
F 1.800.637.6784  
nightingalechairs.com  
info@nightingalechairs.com

